



05-4506832



pustaka.upsi.edu.my



Perpustakaan Tuanku Bainun
Kampus Sultan Abdul Jalil Shah



PustakaTBainun



ptbupsi

RECOMBINANT PYRUVATE PHOSPHATE DIKINASE (rPPDK): DEVELOPMENT OF ANTIBODY AND ANTIGEN RAPID DIPSTICK TESTS FOR AMOEBIASIS AND IDENTIFICATION OF POTENTIAL ANTI- AMOEBIIC COMPOUNDS

by

SYAZWAN BIN SAIDIN



05-4506832



pustaka.upsi.edu.my



Perpustakaan Tuanku Bainun
Kampus Sultan Abdul Jalil Shah



PustakaTBainun



ptbupsi

**Thesis submitted in fulfillment of the requirements
for the degree of
Doctor of Philosophy**



05-4506832



pustaka.upsi.edu.my



Perpustakaan Tuanku Bainun
Kampus Sultan Abdul Jalil Shah



PustakaTBainun



ptbupsi

**TABLE OF CONTENTS**

Acknowledgements.....	ii
Table of Contents.....	iii
List of Tables.....	xxi
List of Figures.....	xxv
List of Abbreviations.....	xxxiii
Abstrak.....	xxxvii
Abstract.....	xl

CHAPTER ONE: INTRODUCTION**1.1 Overview of amoebiasis.....**

1.2 <i>Entamoeba histolytica</i>	3
1.2.1 Taxonomy.....	3
1.2.2 The biology of <i>Entamoeba histolytica</i>	3
1.2.3 Life cycle.....	6
1.3 Mode of transmission.....	9
1.4 Epidemiological studies on amoebiasis.....	10
1.4.1 Intestinal amoebiasis.....	12
1.4.2 Extraintestinal amoebiasis.....	15
1.5 Clinical manifestation of amoebiasis.....	16
1.5.1 Asymptomatic carrier.....	16



05-4506832	pustaka.upsi.edu.my	Perpustakaan Tuanku Bainun Kampus Sultan Abdul Jalil Shah	PustakaTBainun	ptbupsi	17
1.5.2	Intestinal amoebiasis.....				
1.5.3	Extraintestinal amoebiasis.....				20
1.6	Pathogenesis.....				23
1.7	Immunity.....				25
1.7.1	Resistance mechanism.....				25
1.7.2	Humoral immune response.....				26
1.8	Laboratory diagnosis of amoebiasis.....				28
1.8.1	Intestinal amoebiasis.....				29
1.8.1(a)	Microscopy.....				29
1.8.1(b)	Culture.....				34
1.8.1(c)	Isoenzyme analysis.....				35
1.8.1(d)	Antigen detection test.....				36
1.8.1(e)	Molecular diagnosis.....				41
1.8.1(e)(i)	Conventional PCR.....				41
1.8.1(e)(ii)	Real-time PCR.....				43
1.8.1(e)(iii)	Loop-mediated isothermal amplification (LAMP).....				45
1.8.1(f)	Rapid diagnostic tests.....				46
1.8.2	Extraintestinal amoebiasis.....				49
1.8.2(a)	Antibody detection test.....				49
1.8.2(b)	Molecular diagnosis.....				53
1.8.2(b)(i)	Conventional PCR.....				53
1.8.2(b)(ii)	Real-time PCR.....				54

1.9	Prevention and control.....	55
1.10	Treatment of amoebiasis.....	56
1.11	Current research on the discovery of anti-amoebic compounds.....	59
1.12	Potential drug targets of pyruvate phosphate dikinase.....	62
1.13	Statement of the problems and rationale of the study.....	65
1.14	Objectives of the study.....	70
CHAPTER TWO: MATERIALS AND METHODS		
2.1	Study design.....	71
2.2	Materials.....	75
2.2.1	Bacterial strains.....	75
2.2.2	Human serum samples.....	75
2.2.2(a)	Ethics statement.....	75
2.2.2(b)	Serum samples for evaluation of the diagnostic sensitivity and specificity in Western blot analysis.....	76
2.2.2(c)	Serum samples used in the development and the evaluation of lateral flow dipstick test for antibody detection.....	77
2.2.3	Stool samples used in the development and the evaluation of lateral flow dipstick test for antigen detection	77
2.2.4	New Zealand white rabbit.....	78
2.2.5	Oligonucleotide primers and probes.....	78
2.2.5(a)	Primers.....	79
2.2.5(b)	Probes.....	79

2.2.6	NCI compounds.....	81
2.2.7	<i>Entamoeba histolytica</i> strain.....	81
2.2.8	Common buffers and reagents.....	85
2.2.8(a)	10X Phosphate-buffer saline (PBS).....	85
2.2.8(b)	1X PBS.....	85
2.2.8(c)	PBS-Tween20 (PBS-T), 0.05% (v/v).....	85
2.2.8(d)	3M NaOH solution.....	85
2.2.8(e)	1M HCl solution.....	86
2.2.8(f)	70% Ethanol.....	86
2.2.9	Preparation of reagents for competent cells.....	86
2.2.9(a)	100 mM Calcium chloride.....	86
2.2.9(b)	10 mM Magnesium chloride.....	86
2.2.9(c)	2M Magnesium chloride.....	86
2.2.9(d)	Luria Bertani (LB) Broth.....	87
2.2.9(e)	Super optimal broth (SOB).....	87
2.2.9(f)	1M Potassium chloride (KCl).....	87
2.2.9(g)	Kanamycin antibiotic stock solution (100 mg/ml).....	87
2.2.9(h)	LB Agar with Kanamycin.....	87
2.2.10	Preparation of reagents for agarose gel electrophoresis.....	88
2.2.10(a)	5X Tris-borate-EDTA (TBE) buffer.....	88
2.2.10(b)	Ethidium bromide (10 mg/ml).....	88

05-4506832	ptbupsi	2.2.11 Preparation of reagents for expression of recombinant proteins.....	88
		2.2.11(a) Terrific Broth (TB).....	88
		2.2.11(b) Salt solution.....	89
		2.2.11(c) Terrific broth with salt solution.....	89
		2.2.11(d) 1 M Isopropyl β -D-1-thiogalactopyranoside (IPTG).....	89
		2.2.12 Preparation of reagents for SDS-PAGE.....	89
		2.2.12(a) Stacking gel buffer (pH 6.8).....	89
		2.2.12(b) Resolving gel buffer (pH 9.3).....	89
		2.2.12(c) 20% Ammonium persulfate (APS).....	90
		2.2.12(d) 5X Sample buffer.....	90
05-4506832	ptbupsi	2.2.12(e) 10X Running buffer.....	90
		2.2.12(f) Coomassie blue stain.....	92
		2.2.12(g) Coomassie destaining solution.....	92
		2.2.13 Preparation of reagents for protein fractionation using OFFGEL.....	92
		2.2.13(a) 1.25X OFFGEL sample buffer (pH 4-7).....	92
		2.2.13(b) OFFGEL rehydration solution and sample preparation.....	92
		2.2.13(c) 0.2% bromophenol blue.....	93
		2.2.14 Preparation of reagents for Western blot.....	93
		2.2.14(a) Towbin transfer buffer (pH 8.3).....	93
		2.2.14(b) 10X Tris-buffer saline (TBS).....	93

05-4506832	2.2.14(c)	1X Tris buffered-saline with Tween 20 (TBS-T)	93
	2.2.14(d)	1X KPL blocker.....	94
	2.2.14(e)	1% (v/v) Alkali casein blocking solution.....	94
	2.2.14(f)	5% Skimmed milk.....	94
	2.2.14(g)	SuperBlock blocking solution.....	94
	2.2.14(h)	Primary antibody.....	94
	2.2.14(i)	Secondary antibody.....	94
	2.2.14(j)	His-Tag monoclonal antibody.....	95
	2.2.14(k)	Precision Protein™ StrepTactin-HRP antibody.....	95
	2.2.14(l)	Polyclonal goat anti-rabbit-HRP antibody.....	95
05-4506832	2.2.14(m)	Protein marker	95
	2.2.14(n)	SuperSignal® West Pico chemiluminescent substrate.....	96
	2.2.14(o)	Developer.....	96
	2.2.14(p)	Fixer.....	96
	2.2.14(q)	Film.....	96
	2.2.15	Preparation of reagent for native purification of Histidine (His)-tagged protein.....	97
	2.2.15(a)	Protease inhibitor cocktail.....	97
	2.2.15(b)	10 mg/ml lysozyme stock.....	97
	2.2.15(c)	DNase 1.....	97
	2.2.15(d)	10 mM lysis buffer (pH 8.0).....	97



05-4506832



pustaka.upsi.edu.my

Perpustakaan Tuanku Bainun
Kampus Sultan Abdul Jalil Shah

PustakaTBainun



ptbupsi

2.2.15(e)	20 mM washing buffer (pH 4.75, 5.0, 5.25 and 8.0).....	98
2.2. 15(f)	30 mM washing buffer (pH 8.0).....	98
2.2.15(g)	40 mM washing buffer (pH 8.0).....	98
2.2.15(h)	250 mM elution buffer (pH 8.0).....	98
2.2.15(i)	Nickel-nitrilotriacetic acid (Ni-NTA) resin.....	99
2.2.15(j)	1M Protein storage buffer.....	99
2.2.16	Preparation of reagents for ELISA.....	99
2.2.16(a)	Coating buffer (pH 9.6).....	99
2.2.16(b)	3% BSA (w/v) blocking solution.....	99
2.2.16(c)	ABTS substrate solution.....	99
2.2.17	Preparation of reagents for conventional PCR.....	100
2.2.17(a)	DNA preparation.....	100
2.2.17(b)	Conventional PCR master mix.....	100
2.2.18	Preparation of reagents for real-time PCR.....	100
2.2.18(a)	DNA preparation.....	100
2.2.18(b)	Real-time PCR master mix.....	100
2.2.19	Preparation of reagents for protein electro eluter.....	101
2.2.19(a)	Protein elution buffer.....	101
2.2.20	Preparation of reagents for rapid antibody lateral flow dipstick test (antibody detection).....	101
2.2.20(a)	Nitrocellulose membrane.....	101
2.2.20(b)	Absorbent pad.....	101



05-4506832



pustaka.upsi.edu.my

Perpustakaan Tuanku Bainun
Kampus Sultan Abdul Jalil Shah

PustakaTBainun



ptbupsi

05-4506832	2.2.20(c) Colloidal gold conjugate IgG ₄ (Au-IgG ₄).....	102
	2.2.20(d) Lateral flow dipstick test blocking solution.....	102
	2.2.20(e) Chase buffer.....	102
	2.2.20(f) Primary antibody.....	102
	2.2.21 Preparation of reagents for rapid antigen lateral flow dipstick test (antigen test).....	102
	2.2.21(a) Colloidal gold conjugate to polyclonal antibodies.....	102
	2.2.22 Preparation of reagents for <i>E. histolytica</i> culture medium.....	103
	2.2.22(a) Trypticase yeast extract-iron and serum medium (TYI-S-33).....	103
	2.2.22(b) Heat-inactivated bovine serum.....	103
	2.2.23 Preparation of reagents for enzymatic assay.....	103
05-4506832	2.2.23(a) 200 mM ammonium chloride (NH ₄ Cl).....	103
	2.2.23(b) 45 mM Magnesium chloride (MgCl ₂).....	104
	2.2.23(c) 25 mM phosphoenol pyruvate (PEP).....	104
	2.2.23(d) 25 mM adenosine monophosphate (AMP).....	104
	2.2.23(e) 25 mM β-nicotinamide adenine dinucleotide (β-NADH).....	104
	2.2.23(f) 2500 U/mg of lactate dehydrogenase (LDH).....	104
	2.2.23(g) 100 mM sodium phosphate buffer.....	105
	2.2.23(h) 1% (w/v) bovine serum albumin solution.....	105
	2.2.23(i) 12.5 mM sodium pyrophosphate dibasic (PPi).....	105
	2.2.23(j) 50 mM Imidazole buffer.....	105
	2.2.23(k) 50 mM Acetate buffer.....	105

05-4506832	2.2.23(l)	50 mM Tris buffer.....	106
	2.2.23(m)	50 mM Glycine-NaOH buffer.....	106
	2.2.24	Preparation of reagents for <i>in vitro</i> screening of selected compound against rPPDK.....	106
	2.2.24(a)	Compound stock solutions.....	106
	2.2.25	Preparation of reagents for <i>in vitro</i> screening of potential compound against <i>E. histolytica</i>	106
	2.2.25(a)	1X Hanks balance salt solution (HBSS).....	106
	2.2.25(b)	0.05% (w/v) Nitro blue tetrazolium (NBT) solution.....	107
	2.3	Methods.....	107
	PART I		
	2.3.1	Recombinant plasmids for PPDK and Gal/GalNAc lectin.....	107
05-4506832	2.3.1(a)	Information of cloning sequence, vector and protein.....	107
	2.3.1(b)	Preparation of <i>E. coli</i> competent cells.....	108
	2.3.1(c)	Transformation of recombinant clones into expression hosts, BL21 (DE3) and <i>E. coli</i> TOP10.....	108
	2.3.1(d)	Screening of positive recombinant clones.....	109
	2.3.1(d)(i)	Extraction of recombinant plasmids.....	109
	2.3.1(d)(ii)	Determination of plasmid concentration and purity.....	110
	2.3.1(d)(iii)	Sequence analysis of the recombinant plasmid.....	110

05-4506832	pustaka.upsi.edu.my	Perpustakaan Tuanku Bainun Kampus Sultan Abdul Jalil Shah	PustakaTBainun	ptbupsi
		2.3.1(d)(iv) Preparation of glycerol stock for long term storage.....		110
		2.3.2 Expression of rPPDK and rGal/GalNAc lectin proteins.....		111
		2.3.2(a) Determination of solubility of recombinant proteins.....		111
		2.3.3 Sodium dodecyl sulphate-polyacrylamide gel electrophoresis (SDS-PAGE).....		112
		2.3.4 Optimization of the expression of the recombinant proteins.....		112
		2.3.4(a) Optimization of post-induction temperature.....		113
		2.3.4(b) Optimization of IPTG concentration.....		113
		2.3.4(c) Optimization of period of post-induction.....		114
		2.3.5 Large scale protein expression.....		114
05-4506832	pustaka.upsi.edu.my	Perpustakaan Tuanku Bainun Kampus Sultan Abdul Jalil Shah	PustakaTBainun	ptbupsi
		2.3.6 Purification of the expressed recombinant proteins.....		114
		2.3.6(a) Preparation of protein sample under native condition.....		114
		2.3.6(b) Optimization of purification for rPPDK and rGal/GalNAc lectin proteins.....		115
		2.3.6(b)(i) Determination of resin to lysate volume ratio.....		115
		2.3.6(b)(ii) Determination of isoelectric point (pI) of contaminant proteins.....		116
		2.3.6(b)(iii) Purification of rPPDK and rGal/GalNAc lectin protein using washing buffers with different pH values.....		117
		2.3.7 Buffer exchange of the purified recombinant proteins.....		117

2.3.8	Determination of protein concentration.....	118
2.3.9	Confirmation of the recombinant proteins by MALDI-ToF/ToF analysis.....	119
2.3.10	Western blot analysis.....	119
2.3.10(a)	Protein transfer onto nitrocellulose (NC) membrane.....	119
2.3.10(a)(i)	Determination of the presence of Histidine-tagged rPPDK and rGal/GalNAc lectin proteins.....	119
2.3.10(b)	Estimation of molecular mass of protein in Western blot.....	120
2.3.10(c)	Signal visualization by chemiluminescence substrate.....	120
2.3.10(d)	Optimizations of Western blot.....	121
2.3.10(d)(i)	Optimization of antigen amount...	121
2.3.10(d)(ii)	Optimization of primary antibody dilution.....	121
2.3.10(d)(iii)	Optimization of secondary antibody dilution.....	122
2.3.11	Evaluation of the diagnostic sensitivity and specificity of rPPDK and rGal/GalNAc lectin protein by Western blot.....	123
2.3.12	Development of lateral flow dipstick test for antibody detection.....	124
2.3.12(a)	Preparation of lateral flow dipstick test strips.....	124
2.3.12(b)	Procedure for lateral flow dipstick test.....	126

05-4506832	2.3.12(c)	Optimization of lateral flow dipstick test.....	126
	2.3.12(c)(i)	Optimization of antigen concentrations on the test line.....	126
	2.3.12(c)(ii)	Optimization of the optical density (OD) of colloidal gold conjugate.....	126
	2.3.13	Evaluation of diagnostic sensitivity and specificity of lateral flow dipstick test for antibody detection.....	128
	PART II		
	2.3.14	Analysis of stool samples.....	129
	2.3.14(a)	TechLab II <i>E. histolytica</i> ELISA.....	129
	2.3.14(b)	DNA detection methods.....	130
05-4506832	2.3.14(b)(i)	DNA extraction from stool.....	130
	2.3.14(b)(ii)	Conventional PCR.....	131
	2.3.14(b)(iii)	Agarose gel electrophoresis.....	132
	2.3.14(c)	Real-time PCR.....	133
	2.3.14(c)(i)	Detection limit.....	133
	2.3.14(c)(ii)	Assessment of real-time PCR.....	133
	2.3.15	Development of lateral flow dipstick test for antigen detection.....	134
	2.3.15(a)	Polyclonal antibodies production.....	134
	2.3.15(a)(i)	Preparation of gel.....	134
	2.3.15(a)(i)	Preparation of immunogen.....	134

05-4506832	pustaka.ups.edu.my	Perpustakaan Tuanku Bainun Kampus Sultan Abdul Jalil Shah	PustakaTBainun	ptbupsi
		2.3.15(a)(iii) Casting and running the electro-eluter.....		134
		2.3.15(a)(iv) Eluted protein recovery.....		135
		2.3.15(a)(v) Preparation of immunogen using electroeluted protein with Freund's adjuvant.....		135
		2.3.15(a)(vi) Rabbit immunization.....		136
		2.3.15(a)(vii) Sampling of blood from rabbit-marginal ear vein.....		136
		2.3.15(a)(viii) Cardiac puncture.....		137
		2.3.15(b) Determination of antibody titer.....		138
		2.3.15(b)(i) Optimization of antigen concentration for ELISA.....		138
05-4506832	pustaka.ups.edu.my	Perpustakaan Tuanku Bainun Kampus Sultan Abdul Jalil Shah	PustakaTBainun	ptbupsi
		2.3.15(b)(ii) Optimization of the secondary antibody dilution for ELISA.....		139
		2.3.15(b)(iii) Titration of polyclonal antibody.....		139
		2.3.15(b)(iv) Purification of polyclonal antibodies.....		140
		2.3.15(b)(v) Analysis of purified rabbit polyclonal antibodies by SDS-PAGE and Western blot.....		140
		2.3.15(c) Preparation of lateral flow dipstick strip.....		141
		2.3.15(c)(i) Procedure for lateral flow dipstick test.....		141
		2.3.15(d) Determination of the best combination of antibody test line and gold conjugated		
05-4506832	pustaka.ups.edu.my	Perpustakaan Tuanku Bainun Kampus Sultan Abdul Jalil Shah	PustakaTBainun	ptbupsi

2.3.15(e)	Optimization of lateral flow dipstick test.....	145
2.3.15(e)(i)	Optimization of antibody concentration on test line.....	145
2.3.15(e)(ii)	Optimization of the optical density (OD) of colloidal gold conjugate antibody.....	146
2.3.16	Detection limit of the lateral flow antigen detection dipstick...	146
2.3.17	Evaluation of the diagnostic sensitivity and specificity of lateral flow dipstick test for antigen detection.....	147

PART III

2.3.18	Preparation of culture medium and maintenance of culture.....	148
2.3.18(a)	Axenic culture of <i>E. histolytica</i> trophozoites.....	148
2.3.18(a)(i)	Maintenance of <i>E. histolytica</i> culture.....	148
2.3.18(a)(ii)	Cell counting.....	149
2.3.19	rPPDK enzymatic assay.....	149
2.3.19(a)	Determination of optimum pH.....	150
2.3.19(b)	Determination of optimum temperature.....	150
2.3.19(c)	Kinetic data analysis.....	151
2.3.20	Information on outsourced structural-based modelling and virtual screening of potential compounds against <i>E. histolytica</i> PPDK.....	151
2.3.21	<i>In vitro</i> screening of NCI compounds as potential inhibitors	

2.3.22	<i>In vitro</i> screening of selected compounds against trophozoites of <i>E. histolytica</i> by minimum inhibitory concentration (MIC) assay.....	153
2.3.23	<i>In vitro</i> cell viability by NBT reduction assay to determine IC ₅₀ value.....	157
2.3.24	Determination of mortality rate at IC ₅₀ value.....	159

CHAPTER THREE: RESULTS

PART I

3.1	Confirmation of PPDK and Gal/GalNAc lectin clones by DNA sequencing and alignment	162
3.2	Recombinant protein expression.....	165
3.2.1	Determination of protein solubility.....	165
3.3	Optimization of the expression of the rPPDK and rGal/GalNAc lectin proteins.....	165
3.3.1	Optimization of post-induction temperature.....	165
3.3.2	Optimization of IPTG concentration.....	169
3.3.3	Optimization of the period post-induction.....	169
3.4	Detection of Histidine-tagged rPPDK and rGal/GalNAc lectin proteins.....	174
3.5	Analysis of rPPDK and rGal/GalNAc lectin protein bands by MALDI-TOF/TOF.....	174
3.6	Purification of rPPDK and rGal/GalNAc lectin.....	182
3.6.1	Optimization of the ratio of resin to lysate volume for rPPDK purification.....	182
3.6.2	Optimization of washing buffers at various pH for purification of rPPDK.....	187

05-4506832	pustaka.upsi.edu.my	Perpustakaan Tuanku Bainun Kampus Sultan Abdul Jalil Shah	PustakaTBainun	ptbupsi
3.6.3	Optimization of resin to lysate volume ratio for rGal/GalNAc lectin purification.....	196		
3.6.4	Optimization of pH of washing buffer for purification of rGal/GalNAc lectin.....	199		
3.7	Optimizations of various parameters of Western blot	205		
3.7.1	Optimization of antigen amount.....	205		
3.7.2	Optimization of primary antibody dilution.....	210		
3.7.3	Optimization of secondary antibody dilution.....	213		
3.8	Evaluation of diagnostic sensitivity and specificity of rPPDK and rGal/GalNAc lectin proteins.....	219		
3.9	Development of lateral flow dipstick test for antibody detection.....	223		
3.9.1	Optimization of recombinant protein concentration on test line.....	223		
3.9.2	Optimization of OD values of gold conjugated IgG4.....	226		
3.10	Evaluation of diagnostic sensitivity and specificity of lateral flow dipstick test (antibody detection)	228		

PART II

3.11	Analysis of stool samples.....	231		
3.11.1	Conventional PCR for detection of <i>E. histolytica</i> , <i>E. dispar</i> , and <i>E. moshkovskii</i>	231		
3.11.2	Real-time PCR for detection of <i>E. histolytica</i> and <i>E. dispar</i>	236		
3.11.3	Antigen detection test using TechLab <i>E. histolytica</i> II ELISA.....	240		
3.12	Development of lateral flow dipstick for antigen detection test.....	242		
3.12.1	Production of polyclonal antibodies.....	242		

3.12.1(a)	Optimization of antigen concentration and secondary antibody in ELISA for production of polyclonal antibodies.....	242
3.12.1(b)	Determination of polyclonal antibody titer	246
3.12.1(c)	Purification of polyclonal antibodies and Western blot analysis.....	249
3.12.2	Evaluation of various combinations of antibodies and conjugates pairs in the lateral flow dipstick test.....	252
3.12.3	Optimization of polyclonal antibody concentration on test line.....	256
3.12.4	Optimization of OD of gold conjugated antibody.....	260
3.12.5	Determination of detection limit of the antigen test strip.....	260

3.13	Evaluation of diagnostic sensitivity and specificity of the lateral flow antigen detection dipstick test	267
------	--	-----

PART III

3.14	Optimization of rPPDK enzyme assay.....	273
3.14.1	Optimization of pH.....	273
3.14.2	Optimization of temperature.....	273
3.15	Kinetic characterization of rPPDK.....	275
3.16	<i>In vitro</i> screening of selected PPDK inhibitors using rPPDK enzyme assay.....	279
3.17	<i>In vitro</i> susceptibility testing of <i>E. histolytica</i>	281
3.18	Anti-amoebic activity of selected compound against <i>E. histolytica</i>	283

Part I	Development of a rapid antibody test for diagnosis of extraintestinal amoebiasis.....	289
Part II	Development of a rapid antibody test for diagnosis of extraintestinal amoebiasis.....	299
Part III	Identification of potential anti-amoebic agents against <i>E.</i> <i>histolytica</i>	311
CHAPTER FIVE: CONCLUSIONS AND RECOMMENDATIONS		322
Limitations of the study and suggestions for further studies.....		326
REFERENCES.....		328
APPENDICES.....		367

LIST OF TABLES

	Page
Table 1.1	Characteristics of trophozoites and cysts of common intestinal <i>Entamoeba</i> species 32-33
Table 1.2	Commercially antigen detection assays for diagnosis of intestinal amoebiasis 37-38
Table 1.3	The sensitivity and specificity of commercially available antibody detection assays for diagnosis of amoebiasis 51
Table 1.4	Drugs treatment, mechanism and adverse effect of drugs for treatment of amoebiasis 58
Table 2.1	Primers used for detection of <i>E. histolytica</i> , <i>E. dispar</i> and <i>E. moshkovskii</i> species by conventional PCR 80
Table 2.2	Primers and probes sequence used for detection of <i>E. histolytica</i> and <i>E. dispar</i> by real-time PCR 80
Table 2.3	Chemical properties of selected compounds from outsourced <i>in-silico</i> modelling and virtual screening of <i>E. histolytica</i> pyruvate phosphate dikinase 82
Table 2.4	Recipes for preparing 10% SDS-PAGE gel..... 91
Table 2.5	Screening for potential combination of antibody test line and gold conjugated antibody..... 144
Table 2.6	Scoring of trophozoites growth 156
Table 3.1	Summary of the result of identification of <i>E. histolytica</i> proteins at 98 kDa and 53 kDa protein bands using mass-spectrometry..... 176
Table 3.2	The pH values from the OFFGEL fractions 188
	&
	201



Table 3.3	Optimization of pH in phosphate buffers containing 20 mM imidazole used for purification of rPPDK protein	189
Table 3.4	Optimization of pH in phosphate buffers containing 20 mM imidazole used for purification of rGal/GalNAc lectin protein	200
Table 3.5	Optimized parameters of Western blot for rPPDK and rGal/GalNAc lectin proteins	218
Table 3.6	Summary of Western blots reactivities of the rPPDK and rGal/GalNAc lectin probed with anti-human IgG-HRP, IgG ₁ -HRP and IgG ₄ -HRP	222
Table 3.7	Diagnostic sensitivity and specificity of the lateral flow dipstick for detection of anti-PPDK antibodies in serum samples	229
Table 3.8	Summary of PCR results for <i>E. histolytica</i> , <i>E. dispar</i> and <i>E. moshkovskii</i> among 45 microscopy-positive stool samples.....	232
Table 3.9	Results of the detection limit by using a pTEh plasmid	237
Table 3.10	Results of the detection limit by using a pTEd plasmid	237
Table 3.11	Results of the 45 microscopy-positive stool samples for <i>Entamoeba</i> species using real-time PCR	239
Table 3.12	Details of <i>Entamoeba</i> species detected by real-time PCR.....	239
Table 3.13	Result of microscopy and TechLab <i>E. histolytica</i> II ELISA for detection of <i>E. histolytica</i> infection in stool samples (n=70).....	241
Table 3.14(a)	Optimization of rPPDK concentration for coating ELISA microplate	243



Table 3.14(b)	Optimization of rGal/GalNAc lectin concentration for coating ELISA microplate	243
Table 3.14(c)	Optimization of Eh-ESA concentration for coating ELISA microplate	244
Table 3.15(a)	Optimization of the dilution of goat anti-rabbit HRP as secondary antibody (anti-rPPDK IgG) in ELISA.....	244
Table 3.15(b)	Optimization of the dilution of goat anti-rabbit HRP as secondary antibody (anti-rGal/GalNAc lectin IgG) in ELISA.....	245
Table 3.15(c)	Optimization of the dilution of goat anti-rabbit HRP as secondary antibody (anti-Eh ESA IgG) in ELISA	245
Table 3.16	Screening for potential combination of test line and gold conjugated polyclonal antibody	253
Table 3.17	Combination of antibody on test line and gold conjugated antibody that did not give non-specific binding on the dipstick without the antigens (rPPDK, rGal/GalNAc lectin or Eh-ESA).....	254
Table 3.18	Evaluation of detection of the dipstick test with different combinations of test lines and conjugated polyclonal antibodies.....	255
Table 3.19	Summary of optimization of polyclonal antibody (anti-rPPDK) concentrations on test line.....	259
Table 3.20	Summary of optimization of OD of conjugated anti-ESA antibody.....	263
Table 3.21	Diagnostic sensitivity of the dipstick test as compared to real-time PCR using 45 microscopy-positive stool sample...	269
Table 3.22	Diagnostic sensitivity of the dipstick test in detecting <i>E. histolytica</i> among single and mixed infection.....	269

05-4506832	pustaka.upsi.edu.my	Perpustakaan Tuanku Bainun Kampus Sultan Abdul Jalil Shah	PustakaTBainun	ptbupsi
Table 3.23	Diagnostic sensitivity of the dipstick test compared to TechLab <i>E. histolytica</i> II ELISA	269		
Table 3.24	Optimization of polyclonal antibody (anti-rGal/GalNAc lectin) concentrations on test line	271		
Table 3.25	Optimization of OD of conjugated polyclonal antibody (anti-rGal/GalNAc lectin).....	271		
Table 3.26	Diagnostic sensitivity of the dipstick test compared to real-time PCR (anti/rGal-Gal/NAc lectin combination pair).....	271		
Table 3.27	Diagnostic specificity of the dipstick test (anti-rPPDK/anti-Eh ESA combination pair).....	272		
Table 3.28	Diagnostic specificity of the dipstick test (anti/rGal-Gal/NAc lectin combination pair).....	272		
Table 3.29	Comparison of K_m for three substrates of PPDK from different sources	278		
Table 3.30	Inhibition constants value (K_i) of various compounds against rPPDK	280		
Table 3.31	Summary of MIC assay scores of ten NCI compounds and metronidazole after 24 and 48 hours of treatment.....	282		
Table 3.32	The effect of compounds and metronidazole at IC_{50} on the <i>in vitro</i> growth of <i>E. histolytica</i> trophozoites at different incubation periods	286		

LIST OF FIGURES

		Page
Figure 1.1	Morphological descriptions of <i>E. histolytica</i> / <i>E. dispar</i> trophozoites and cyst	5
Figure 1.2	Life cycle of <i>E. histolytica</i>	8
Figure 1.3	Microscopic observations of invasive intestinal amoebiasis.....	19
Figure 1.4	Amoebic liver abscess.....	22
Figure 1.5	The amoebas found in stool specimens of humans	31
Figure 1.6	The PP _i -dependent extended glycolytic pathway of <i>E. histolytica</i>	63
Figure 2.1(a)	(Part I) Evaluations of immunoreactivity of the purified recombinant proteins, development and evaluation of a lateral flow dipstick test for antibody detection	72
Figure 2.1(b)	(Part II) Development and evaluation of a lateral flow dipstick test for stool antigen detection.....	73
Figure 2.1(c)	(Part III) <i>In-vitro</i> screening of PPKK inhibitors for discovery of potential anti-amoebic compounds	74
Figure 2.2	Two-dimensional chemical structures of molecules selected as potential anti-amoebic agents.....	83-84
Figure 2.3	Schematic diagram of lateral flow dipstick test for antibody detection.	125
Figure 2.4	Schematic diagrams showing lateral flow dipstick test procedure for antibody detection	127
Figure 2.5	Schematic diagrams showing lateral flow dipstick test procedure for antigen detection test	142